

TEST SIEVE

**350 mm Ø**  
**60 mm H**

STAINLESS  
STEEL FRAME

**350**



**C I S a**   
SIEVING TECHNOLOGIES



350

# 350 mm Ø x 60 mm H

STAINLESS STEEL FRAME



Request  
Calibration Certificate  
Service sieve



For medium/coarse grain sizes.

**Individual laser-engraved identification**  
of each sieve to ensure traceability.

**Includes certificate of attestation**  
according to 2.1 EN 10204.

Mirror polishing.

Frame material: AISI-304

Screening surface: 900 cm<sup>2</sup>.

**Weight:** From 1150 grams to 2000 grams  
depending on the mesh opening.




## CONFIGURATIONS

**350.1** Sieves with metal mesh according to ISO 3310.1 – ASTM E-11 – NF X11-504.

**350.2** Sieves with perforated plate, standards ISO 3310.2 – ASTM E-323.

## INCLUDED

 Test certificate according to standard 2.1. EN 10204.

## ACCESSORIES

- Pan 350mm.Ø stainless steel (code 3200001).
- Cover 350mm.Ø stainless steel. (code 3200002).

## OPTIONS

- Calibration certificate with uncertainty value.
- AISI-316 stainless steel frame.

350

# 350 mm Ø x 60 mm H

STAINLESS STEEL FRAME



## 350.1 WIRE MESH SIEVES

ISO 3310.1	ASTM E-11-2013	Code CISA	ISO 3310.1	ASTM E-11-2013	Code CISA	ISO 3310.1	ASTM E-11-2013	Code CISA	ISO 3310.1	ASTM E-11-2013	Code CISA
20 µ	Nº 635	3200601	160 µ		3204801	1.00 mm	Nº 18	3209001	11.20 mm	7/16 in.	3214601
25 µ	Nº 500	3200801	180 µ	Nº 80	3205001	1.12 mm		3209201	12.50 mm	½ in.	3214801
32 µ	Nº 450	3201001	200 µ		3205201	1.18 mm	Nº 16	3209401	13.20 mm	0.530 in.	3215001
36 µ		3201201	212 µ	Nº 70	3205401	1.25 mm		3209601	14.00 mm		3215201
38 µ	Nº 400	3201401	224 µ		3205601	1.40 mm	Nº 14	3209801	16.00 mm	5/8 in.	3215401
40 µ		3201601	250 µ	Nº 60	3205801	1.60 mm		3210001	18.00 mm		3215601
45 µ	Nº 325	3201801	280 µ		3206001	1.70 mm	Nº 12	3210201	19.00 mm	3/4 in.	3215801
50 µ		3202001	300 µ	Nº 50	3206201	1.80 mm		3210401	20.00 mm		3216001
53 µ	Nº 270	3202201	315 µ		3206401	2.00 mm	Nº 10	3210601	22.40 mm	7/8 in.	3216201
56 µ		3202401	355 µ	Nº 45	3206601	2.24 mm		3210801	25.00 mm	1.00 in.	3216401
63 µ	Nº 230	3202601	400 µ		3206801	2.36 mm	Nº 8	3211001	26.50 mm	1.06 in.	3216601
71 µ		3202801	425 µ	Nº 40	3207001	2.50 mm		3211201	28.00 mm		3216801
75 µ	Nº 200	3203001	450 µ		3207201	2.80 mm	Nº 7	3211401	31.50 mm	1 1/4 in.	3217001
80 µ		3203201	500 µ	Nº 35	3207401	3.15 mm		3211601	35.50 mm		3217201
90 µ	Nº 170	3203401	560 µ		3207601	3.35 mm	Nº 6	3211801	37.50 mm	1 1/2 in.	3217401
100 µ		3203601	600 µ	Nº 30	3207801	3.55 mm		3212001	40.00 mm		3217601
106 µ	Nº 140	3203801	630 µ		3208001	4.00 mm	Nº 5	3212201	45.00 mm	1 3/4 in.	3217801
112 µ		3204001	710 µ	Nº 25	3208201	4.50 mm		3212401	50.00 mm	2.00 in.	3218001
125 µ	Nº 120	3204201	800 µ		3208401	4.75 mm	Nº 4	3212601	53.00 mm	2.12 in.	3218201
140 µ		3204401	850 µ	Nº 20	3208601	5.00 mm		3212801	56.00 mm		3218401
150 µ	Nº 100	3204601	900 µ		3208801	5.60 mm	Nº 3½	3213001	63.00 mm	2 1/2 in.	3218601
						6.30 mm	¼ in.	3213201	71.00 mm		3218801
						6.70 mm	0.265 in.	3213401	75.00 mm	3.00 in.	3219001
						7.10 mm		3213601	80.00 mm		3219201
						8.00 mm	5/16 in.	3213801	90.00 mm	3 1/2 in.	3219401
						9.00 mm		3214001	100.00 mm	4.00 in.	3219601
						9.50 mm	3/8 in.	3214201	106.00 mm	4.24 in.	3219801
						10.00 mm		3214401	112.00 mm		3220001
									125.00 mm	5.00 in.	3220201

350

# 350 mm Ø x 60 mm H

STAINLESS STEEL FRAME



## 350.2 SIEVES WITH PERFORATED PLATE

### Square hole

### Round hole

ISO 3310.2	ASTM E-323-2011	Code CISA	ISO 3310.2	ASTM E-323-2011	Code CISA	ISO 3310.2	ASTM E-323-2011	Code CISA	ISO 3310.2	ASTM E-323-2011	Code CISA
4.00 mm	5/32 in.	3212261	22.40 mm	7/8 in.	3216261	4.00 mm	5/32 in.	3212241	22.40 mm	7/8 in.	3216241
4.50 mm		3212461	25.00 mm	1.00 in.	3216461	4.50 mm		3212441	25.00 mm	1.00 in.	3216441
4.75 mm	3/16 in.	3212661	26.50 mm	1 1/18 in.	3216661	4.75 mm	3/16 in.	3212641	26.50 mm	1 1/18 in.	3216641
5.00 mm		3212861	28.00 mm		3216861	5.00 mm		3212841	28.00 mm		3216841
5.60 mm	7/32 in.	3213061	31.50 mm	1 1/4 in.	3217061	5.60 mm	7/32 in.	3213041	31.50 mm	1 1/4 in.	3217041
6.30 mm	¼ in.	3213261	35.50 mm		3217261	6.30 mm	¼ in.	3213241	35.50 mm		3217241
6.70 mm	17/64 in.	3213461	37.50 mm	1 1/2 in.	3217461	6.70 mm	17/64 in.	3213441	37.50 mm	1 1/2 in.	3217441
7.10 mm		3213661	40.00 mm		3217661	7.10 mm		3213641	40.00 mm		3217641
8.00 mm	5/16 in.	3213861	45.00 mm	1 3/4 in.	3217861	8.00 mm	5/16 in.	3213841	45.00 mm	1 3/4 in.	3217841
9.00 mm		3214061	50.00 mm	2.00 in.	3218061	9.00 mm		3214041	50.00 mm	2.00 in.	3218041
9.50 mm	3/8 in.	3214261	53.00 mm	2 1/8 in.	3218261	9.50 mm	3/8 in.	3214241	53.00 mm	2 1/8 in.	3218241
10.00 mm		3214461	56.00 mm		3218461	10.00 mm		3214441	56.00 mm		3218441
11.20 mm	7/16 in.	3214661	63.00 mm	2 1/2 in.	3218661	11.20 mm	7/16 in.	3214641	63.00 mm	2 1/2 in.	3218641
12.50 mm	½ in.	3214861	71.00 mm		3218861	12.50 mm	½ in.	3214841	71.00 mm		3218841
13.20 mm	0.530 in.	3215061	75.00 mm	3.00 in.	3219061	13.20 mm	0.530 in.	3215041	75.00 mm	3.00 in.	3219041
14.00 mm		3215261	80.00 mm		3219261	14.00 mm		3215241	80.00 mm		3219241
16.00 mm	5/8 in.	3215461	90.00 mm	3 1/2 in.	3219461	16.00 mm	5/8 in.	3215441	90.00 mm	3 1/2 in.	3219441
18.00 mm		3215661	100.00 mm	4.00 in.	3219661	18.00 mm		3215641	100.00 mm	4.00 in.	3219641
19.00 mm	3/4 in.	3215861	106.00 mm	4.24 in.	3219861	19.00 mm	3/4 in.	3215841	106.00 mm	4.24 in.	3219841
20.00 mm		3216061	112.00 mm		3220061	20.00 mm		3216041	112.00 mm		3220041
			125.00 mm	5.00 in.	3220261				125.00 mm	5.00 in.	3220241

## ACCESSORIES

Pan and cover  
350 mm. Ø x 60 mm. H

Wet sieving  
pan and cover 350 mm. Ø

Cleaning kit

Calibration certificate  
with uncertainty value.

