

TEST SIEVE

60mm Ø
20mm H

STAINLESS
STEEL FRAME

60



C I S a 
SIEVING TECHNOLOGIES



60

60mm Ø x 20mm H

STAINLESS STEEL FRAME



Request
Calibration Certificate
Service sieve



For small samples and field sieving.

Recommended by ISO, ASTM and BS standards.

Individual laser-engraved identification of each sieve to ensure **traceability**.

Includes certificate of attestation according to 2.1 EN 10204.

Optional **calibration certificate** with indication of the sieve value.

Frame material: AISI-304.

Weight: From 32 grams to 50 grams depending on the mesh opening.

Recommended sample volume: Up to 10 cm³.

Range of openings: Up to 4.00mm.# with metal mesh.



AVAILABLE CONFIGURATIONS

60.1 Wire mesh sieves according to standards ISO 3310.1 – ASTM E-11-2013

INCLUDED

- ✓ Individual packing of each sieve with 100% recycled cardboard box, **which guarantees transport in perfect conditions.**
- ✓ Test certificate according to standard 2.1. EN 10204.

ACCESSORIES

- Pan (code 0100001).
- Cover (code 0100002).

OPTIONS

- Calibration certificate according to ASTM E-11, AFNOR NF X-11-504, BS 410 or ISO 3310 standards.



60

60mm Ø x 20mm H

STAINLESS STEEL FRAME



60.1 WIRE MESH SIEVES

| ISO 3310.1 | ASTM E-11-2013 | Code CISA | ISO 3310.1 | ASTM E-11-2013 | Code CISA | ISO 3310.1 | ASTM E-11-2013 | Code CISA |
|------------|----------------|-----------|------------|----------------|-----------|------------|----------------|-----------|
| 20 µ | Nº 635 | 0100601 | 160 µ | | 0104801 | 1,00 mm | Nº 18 | 0109001 |
| 25 µ | Nº 500 | 0100801 | 180 µ | Nº 80 | 0105001 | 1,12 mm | | 0109201 |
| 32 µ | Nº 450 | 0101001 | 200 µ | | 0105201 | 1,18 mm | Nº 16 | 0109401 |
| 36 µ | | 0101201 | 212 µ | Nº 70 | 0105401 | 1,25 mm | | 0109601 |
| 38 µ | Nº 400 | 0101401 | 224 µ | | 0105601 | 1,40 mm | Nº 14 | 0109801 |
| 40 µ | | 0101601 | 250 µ | Nº 60 | 0105801 | 1,60 mm | | 0110001 |
| 45 µ | Nº 325 | 0101801 | 280 µ | | 0106001 | 1,70 mm | Nº 12 | 0110201 |
| 50 µ | | 0102001 | 300 µ | Nº 50 | 0106201 | 1,80 mm | | 0110401 |
| 53 µ | Nº 270 | 0102201 | 315 µ | | 0106401 | 2,00 mm | Nº 10 | 0110601 |
| 56 µ | | 0102401 | 355 µ | Nº 45 | 0106601 | 2,24 mm | | 0110801 |
| 63 µ | Nº 230 | 0102601 | 400 µ | | 0106801 | 2,36 mm | Nº 8 | 0111001 |
| 71 µ | | 0102801 | 425 µ | Nº 40 | 0107001 | 2,50 mm | | 0111201 |
| 75 µ | Nº 200 | 0103001 | 450 µ | | 0107201 | 2,80 mm | Nº 7 | 0111401 |
| 80 µ | | 0103201 | 500 µ | Nº 35 | 0107401 | 3,15 mm | | 0111601 |
| 90 µ | Nº 170 | 0103401 | 560 µ | | 0107601 | 3,35 mm | Nº 6 | 0111801 |
| 100 µ | | 0103601 | 600 µ | Nº 30 | 0107801 | 3,55 mm | | 0112001 |
| 106 µ | Nº 140 | 0103801 | 630 µ | | 0108001 | 4,00 mm | Nº 5 | 0112201 |
| 112 µ | | 0104001 | 710 µ | Nº 25 | 0108201 | | | |
| 125 µ | Nº 120 | 0104201 | 800 µ | | 0108401 | | | |
| 140 µ | | 0104401 | 850 µ | Nº 20 | 0108601 | | | |
| 150 µ | Nº 100 | 0104601 | 900 µ | | 0108801 | | | |

Material de la malla

Acero inoxidable AISI-304 / AISI-316

ACCESSORIES

Pan and cover
60 mm. Ø

Rubber gasket
60 mm. Ø

Cleaning kit

Calibration certificate according to
ASTM E-11, AFNOR NF X-11-504, BS
410 or ISO 3310 standards.

