

TEST SIEVE

75mm Ø
75mm H

STAINLESS
STEEL FRAME

75



C I S a 
SIEVING TECHNOLOGIES



75

75mm Ø x 75mm H

STAINLESS STEEL FRAME



Request
Calibration Certificate
Service sieve



For small samples and field sieving.

Recommended by ISO, ASTM and BS standards.

Individual laser-engraved identification of each sieve to ensure traceability.

Includes certificate of attestation according to 2.1 EN 10204.

Optional **calibration certificate** with indication of the sieve value.

Frame material: AISI-304.

Weight: From 55 grams to 210 grams depending on the mesh opening.

Recommended sample volume: Up to 25 cm³.

Range of openings: Up to 4.00mm.# with metal mesh.



AVAILABLE CONFIGURATIONS

75.3 Height 75 mm (3"). Sieves with metal mesh according to ISO 3310.1 – ASTM E-11-2013

INCLUDED

- ✓ Individual packing of each sieve with 100% recycled cardboard box, **which guarantees transport in perfect conditions.**
- ✓ Test certificate according to standard 2.1. EN 10204.

ACCESSORIES

- Pan (code 0200001).
- Cover (code 0200002).

OPTIONS

- Calibration certificate according to ASTM E-11, AFNOR NF X-11-504, BS 410 or ISO 3310 standards.

75

75mm Ø x 75mm H

STAINLESS STEEL FRAME



75.3 HEIGHT 75 MM- (3") WIRE MESH SIEVES

ISO 3310.1	ASTM E-11-2013	Code CISA	ISO 3310.1	ASTM E-11-2013	Code CISA	ISO 3310.1	ASTM E-11-2013	Codeo CISA
20 µ	N° 635	2900601	160 µ		2904801	1,00 mm	N° 18	2909001
25 µ	N° 500	2900801	180 µ	N° 80	2905001	1,12 mm		2909201
32 µ	N° 450	2901001	200 µ		2905201	1,18 mm	N° 16	2909401
36 µ		2901201	212 µ	N° 70	2905401	1,25 mm		2909601
38 µ	N° 400	2901401	224 µ		2905601	1,40 mm	N° 14	2909801
40 µ		2901601	250 µ	N° 60	2905801	1,60 mm		2910001
45 µ	N° 325	2901801	280 µ		2906001	1,70 mm	N° 12	2910201
50 µ		2902001	300 µ	N° 50	2906201	1,80 mm		2910401
53 µ	N° 270	2902201	315 µ		2906401	2,00 mm	N° 10	2910601
56 µ		2902401	355 µ	N° 45	2906601	2,24 mm		2910801
63 µ	N° 230	2902601	400 µ		2906801	2,36 mm	N° 8	2911001
71 µ		2902801	425 µ	N° 40	2907001	2,50 mm		2911201
75 µ	N° 200	2903001	450 µ		2907201	2,80 mm	N° 7	2911401
80 µ		2903201	500 µ	N° 35	2907401	3,15 mm		2911601
90 µ	N° 170	2903401	560 µ		2907601	3,35 mm	N° 6	2911801
100 µ		2903601	600 µ	N° 30	2907801	3,55 mm		2912001
106 µ	N° 140	2903801	630 µ		2908001	4,00 mm	N° 5	2912201
112 µ		2904001	710 µ	N° 25	2908201			
125 µ	N° 120	2904201	800 µ		2908401			
140 µ		2904401	850 µ	N° 20	2908601			
150 µ	N° 100	2904601	900 µ		2908801			

Mesh material

Stainless steel AISI-304 / AISI-316

ACCESSORIES

Pan and cover
75 mm. Ø

Rubber gasket
75 mm. Ø

Cleaning kit

Calibration certificate according to
ASTM E-11, AFNOR NF X-11-504, BS
410 or ISO 3310 standards.

