

TEST SIEVE

**75mm Ø**  
**25mm H**

STAINLESS  
STEEL FRAME

**75**



**C I S a**   
SIEVING TECHNOLOGIES



75

# 75mm Ø x 25mm H

STAINLESS STEEL FRAME



Request  
Calibration Certificate  
Service sieve



For small samples and field sieving.

Recommended by ISO, ASTM and BS standards.

**Individual laser-engraved identification** of each sieve to ensure **traceability**.

**Includes certificate of attestation** according to 2.1 EN 10204.

Optional **calibration certificate** with indication of the sieve value.

Frame material: AISI-304.

**Weight:** From 55 grams to 210 grams depending on the mesh opening.

**Recommended sample volume:** Up to 25 cm<sup>3</sup>.

**Range of openings:** Up to 4.00mm.# with metal mesh.



## AVAILABLE CONFIGURATIONS

**75.1** Height 25 mm (1"). Sieves with metal mesh according to ISO 3310.1 – ASTM E-11-2013

## INCLUDED

- ✓ Individual packing of each sieve with 100% recycled cardboard box, **which guarantees transport in perfect conditions.**
- ✓ Test certificate according to standard 2.1. EN 10204.

## ACCESSORIES

- Pan (code 0200001).
- Cover (code 0200002).

## OPTIONS

- Calibration certificate according to ASTM E-11, AFNOR NF X-11-504, BS 410 or ISO 3310 standards.

75

# 75mm Ø x 25mm H

STAINLESS STEEL FRAME



## 75.1 HEIGHT 25 MM- (1") WIRE MESH SIEVES

ISO 3310.1	ASTM E-11-2013	Code CISA	ISO 3310.1	ASTM E-11-2013	Code CISA	ISO 3310.1	ASTM E-11-2013	Code CISA
20 µ	N° 635	2700601	160 µ		2704801	1.00 mm	N° 18	2709001
25 µ	N° 500	2700801	180 µ	N° 80	2705001	1.12 mm		2709201
32 µ	N° 450	2701001	200 µ		2705201	1.18 mm	N° 16	2709401
36 µ		2701201	212 µ	N° 70	2705401	1.25 mm		2709601
38 µ	N° 400	2701401	224 µ		2705601	1.40 mm	N° 14	2709801
40 µ		2701601	250 µ	N° 60	2705801	1.60 mm		2710001
45 µ	N° 325	2701801	280 µ		2706001	1.70 mm	N° 12	2710201
50 µ		2702001	300 µ	N° 50	2706201	1.80 mm		2710401
53 µ	N° 270	2702201	315 µ		2706401	2.00 mm	N° 10	2710601
56 µ		2702401	355 µ	N° 45	2706601	2.24 mm		2710801
63 µ	N° 230	2702601	400 µ		2706801	2.36 mm	N° 8	2711001
71 µ		2702801	425 µ	N° 40	2707001	2.50 mm		2711201
75 µ	N° 200	2703001	450 µ		2707201	2.80 mm	N° 7	2711401
80 µ		2703201	500 µ	N° 35	2707401	3.15 mm		2711601
90 µ	N° 170	2703401	560 µ		2707601	3.35 mm	N° 6	2711801
100 µ		2703601	600 µ	N° 30	2707801	3.55 mm		2712001
106 µ	N° 140	2703801	630 µ		2708001	4.00 mm	N° 5	2712201
112 µ		2704001	710 µ	N° 25	2708201			
125 µ	N° 120	2704201	800 µ		2708401			
140 µ		2704401	850 µ	N° 20	2708601			
150 µ	N° 100	2704601	900 µ		2708801			

### Mesh material

Stainless steel AISI-304 / AISI-316

## ACCESSORIES

Pan and cover  
75 mm.Ø

Rubber gasket  
75 mm.Ø

Cleaning kit

Calibration certificate according to  
ASTM E-11, AFNOR NF X-11-504, BS  
410 or ISO 3310 standards.

